

STANLEY®

WET/DRY VACUUM

STANLEY VAC - MAKE SOMETHING GREAT™



Stanley® and STANLEY are trademarks of Stanley Black & Decker, Inc., or its affiliates and are used under license by Alton Industry Ltd. Group

China Factory:
Suzhou Alton Electrical & Mechanical Industry Co., Ltd.
North Linhu Road, East Laixiu Road Wujiang Foho Economic Development Zone,
Jiangsu, P.R.C. 215211
Tel:86-512-8287 6660
Fax:86-512-8287 6895
E-mail: janice@szalton.com

Stanley's family of licensed product delivers the same great quality and innovation
For more information on these Stanley licensed vacuums,
Please call in 1-888-899-0146
E-mail: info@altonindustries.com

STANLEY®

MAKE SOMETHING GREAT™



Always wear safety goggles.
© 2020 The Stanley Tools, Inc.
New Britain, CT 06053 U.S.A

<http://altonindustries.com>

STANLEY®

TOOLS THAT GET THE JOB DONE RIGHT

Every Stanley Vacuum in this catalogue is created to help you work better, smarter, faster. Our Discovery Teams work side-by-side with real tradesmen every day to see how you work and identify ways to help you improve your performance.

Because we understand that there's nothing better than knowing you've done a great job, and knowing that you are respected for it by the people whose opinion really matters- the guys you work with.



PORTABLE POLY SERIES



3 GALLON WET/DRY VACUUM

STANLEY

SL18910P-3

Large water-resistant on/off switch

Sturdy handle with cord wrap design

Powerful blower port instantly converts vacuum to power blower



NEW



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
3 Gallon	3.0	80 CFM	48"	120V/60Hz/8A	6'

STANDARD ACCESSORIES



- Lightweight & compact, with a handle on top for easy carrying.
- On-board accessories storage.
- Rear blower port.
- High performance motor provides maximum power.
- Integrated cord wrap design.
- Large switch button with waterproof design for safe & easy operation.

INCLUDED :

- 1-1/4" x 4' Hose (20-1300) · 3-in -1 Crevice nozzle (13-1513) · Gulper nozzle (13-1588)
- Reusable dry filter with clamp ring (25-1201) · Foam filter (25-1202)



4 GALLON WORKSHOP WET/DRY VACUUM

STANLEY

SL18905P-4



NEW



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	90 CFM	50"	120V/60Hz/9A	20'

INCLUDED ACCESSORIES



- Lightweight & compact, with a handle on top for easy carrying.
- Swiveling casters provide convenient multidirection maneuverability.
- Rear blower port.
- Integrated cord wrap design.
- Large switch button with waterproof design for safe & easy operation.

INCLUDED :

- 1-1/4" x 6' Hose (13-3300) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Reusable and washable cartridge filter (08-2551) · Foam filter (20-1200)



4 GALLON TOOLBOX WET/DRY VACUUM

STANLEY

SL18904P-4



NEW



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	90 CFM	50"	120V/60Hz/9A	20'

STANDARD ACCESSORIES



- On-board accessories storage.
- Rear blower port.
- High performance motor provides maximum power.
- Integrated cord wrap design.
- Large switch button with waterproof design for safe & easy operation.

INCLUDED :

- 1-1/4" x 6' Ultra flexible hose (25-1227) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Reusable and washable cartridge filter (08-2551) · Foam filter (20-1200)



4 GALLON PORTABLE WET/DRY VACUUM

STANLEY

SL18957P-5



NEW



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	5.0	90 CFM	68"	100V/60Hz/10A	16.4'

STANDARD ACCESSORIES



- On-board accessories storage.
- Rear blower port.
- High performance motor provides maximum power.
- Large switch button with waterproof design for safe & easy operation.

INCLUDED:

- 1-1/4" x 6' Hose (25-1206) · Steel retractable extension wand (25-1044) · 3-in-1 Crevice nozzle (13-1513) · Gulper nozzle (13-1588) · Round brush (13-1580) · Floor nozzle (13-1571)
- Floor brush (13-1572) · Reusable and washable cartridge filter (08-2551)
- Reusable dry filter with clamp ring (20-1100) · Foam filter (20-1200A) · Disposable filter bag (25-1238)



5 GALLON WET/DRY VACUUM

STANLEY

SL18906P-5H



NEW



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallons	5.0	90 CFM	50"	120V/60Hz/9A	20'

STANDARD ACCESSORIES



- Bracket to keep all accessories organized.
- On-board accessories storage.
- Rear blower port.
- Convenient, built-in power cord hook.
- Large switch button with waterproof design for safe & easy operation.

INCLUDED:

- 1-1/4" x 20' Ultra flexible hose (25-1227) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Reusable and washable cartridge filter (08-2566B) · Disposable filter bag (19-3100) · Foam filter (20-1200)



PORTABLE POLY SERIES



SL18125DC

- Lightweight & compact, with a handle on top for easy carrying.
- On-board accessories storage. (AC)
- Convenient, built-in power cord hook. (AC)

INCLUDED:

- 1-1/4" x 4' Hose (25-1203) · Gulper nozzle (13-1588) · Crevice nozzle (13-1508)
- Foam filter (25-1202) · Reusable dry filter with clamp ring (25-1201)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
1 Gallon	/	/	12"	12V/DC	16.5'



SL18125P



INCLUDED:

- 1-1/4" x 4' Hose (25-1203) · Gulper nozzle (13-1588) · Crevice nozzle (13-1508) · Foam filter (19-1600) · Reusable dry filter with clamp ring (25-1201) · Wall mount bracket (25-1214)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
1 Gallon	1.5	60 CFM	52"	120V/60Hz/5A	6'

SL18101P-1H



INCLUDED:

- 1-1/4" x 4' Hose (13-3306) · Gulper nozzle (13-1588) · Crevice nozzle (13-1508) · Foam filter (20-1200) · Reusable dry filter with clamp ring (20-1100) · Wall mount bracket (25-1215)




Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
1 Gallon	1.5	60 CFM	52"	120V/60Hz/5A	6'

SL18127P



INCLUDED:

- 1-1/4" x 4' Hose (25-1203) · Gulper nozzle (13-1588) · Crevice nozzle (13-1508) · Foam filter (19-1600) · Reusable dry filter with clamp ring (25-1201) · Wall mount bracket (25-1214)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
2 Gallon	2.0	60 CFM	52"	120V/60Hz/5A	6'

PORTABLE POLY SERIES



SL18128P

INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor brush (13-1505) · Foam filter (25-1202)
- Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1228)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
2.5 Gallon	4.0	70 CFM	64"	120V/60Hz/7A	10'

SL18134P

INCLUDED:

- 1-1/4" x 4' Hose (25-1203) · Gulper nozzle (13-1588) · Crevice nozzle (13-1508) · Foam filter (20-1100) · Reusable dry filter with clamp ring (20-1200)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
2.5 Gallon	3.0	80 CFM	52"	120V/60Hz/6A	6'

SL18135P

INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Floor nozzle (13-1570) · Crevice nozzle (13-1508) · Foam filter (20-1200)
- Reusable dry filter with clamp ring (20-1100) · Disposable filter bag (25-1228)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
2.5 Gallon	4.0	85 CFM	52"	120V/60Hz/7A	10'

SL18202P-3B

INCLUDED:

- 1-1/4" x 4' Hose (13-3306) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Inflation kit (13-4001) · Floor nozzle (13-1570)
- Reusable dry filter with clamp ring (20-1100) · Foam filter (20-1200)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
3 Gallon	3.0	80 CFM	52"	120V/60Hz/6A	10'

PORTABLE POLY SERIES




SL18301P-4B



INCLUDED :

- 1-1/4" x 4' Hose (13-3304) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Inflation kit (13-4001) · Foam filter (20-1200) · Reusable dry filter with clamp ring (20-1100)
- Disposable filter bag (25-1238)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18130P



INCLUDED :

- 1-1/4" x 5' Hose (25-1204) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor brush (13-1505) · Foam filter (25-1202)
- Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1230)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4.5 Gallon	4.0	70 CFM	64"	120V/60Hz/7A	10'

SL18138P



INCLUDED :

- 1-1/4" x 5' Hose (25-1204) · Gulper nozzle (13-1588) · 2 Extension wands (13-1502)
- Crevice nozzle (13-1508) · Floor brush (13-1505) · Foam filter (20-1200)
- Reusable dry filter with clamp ring (20-1100) · Disposable filter bag (25-1230)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4.5 Gallon	4.0	85 CFM	52"	120V/60Hz/7A	10'


PORTABLE POLY SERIES



6 GALLON PORTABLE WET/DRY VAC

STANLEY

SL18116P



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
6 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

STANDARD ACCESSORIES



- Lightweight & compact, with a handle on top for easy carrying.
- Swiveling casters provide multi-direction maneuverability.
- On-board accessories storage.
- High performance motor provides maximum power.
- Convenient, built-in power cord hook.
- Large switch button with waterproof design for safe & easy operation.
- Rear blower port.

INCLUDED:

- 1-1/4" x 6' Hose (13-3300) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Foam filter (19-1600)
- Reusable dry filter with clamp ring (19-1500) · Disposable filter bag (19-3100)



SL18115P



INCLUDED:

- 1-1/4" x 5' Hose (13-3301) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Foam filter (19-1600)
- Reusable dry filter with clamp ring (19-1500) · Disposable filter bag (19-3100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18117P



INCLUDED:

- 1-1/4" x 6' Hose (13-3300) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Cartridge filter (08-2566B)
- Disposable filter bag (13-1522)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	5.0	75 CFM	48"	120V/60Hz/8A	16'

SL18407P



INCLUDED:

- 1-1/4" x 6' Hose (13-3300) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Cartridge filter (08-2566B)
- Disposable filter bag (13-1522)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	5.0	100 CFM	64"	120V/60Hz/10A	16'

SL18191P



INCLUDED:

- 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300)
- Crevice nozzle (13-4333) · Floor nozzle (19-1900) · Cartridge filter (08-2566B)
- Disposable filter bag (19-3101)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
10 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18701P-10A



INCLUDED:

- 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300)
- Crevice nozzle (13-4333) · Floor nozzle (19-1900) · Cartridge filter (08-2566B)
- Disposable filter bag (19-3100) · Garden hose adapter (25-1213)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
10 Gallon	5.0	100 CFM	64"	120V/60Hz/10A	10'

SL18199P



INCLUDED:

- 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300)
- Crevice nozzle (13-4333) · Floor nozzle (19-1900) · Cartridge filter (08-2566B)
- Disposable filter bag (19-3101)




Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
12 Gallon	5.5	100 CFM	70"	120V/60Hz/10A	16'

PRO POLY SERIES

STANLEY

SL18401P-8A



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	6.0	100 CFM	70"	120V/60Hz/10A	16'

INCLUDED ACCESSORIES



- Sturdy handle for easy carrying.
- Swiveling casters provide convenient multi-direction maneuverability.
- On-board accessories storage.
- High performance motor provides maximum power, 2X longer life and quieter operation.
- Convenient, built-in power cord hook.
- Rear blower port.

INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Floor brush (19-1300) · Utility nozzle (19-2300) · Crevice nozzle (19-1400) · Cartridge filter (08-2566B) · Disposable filter bag (19-3101)



PRO POLY SERIES

STANLEY

SL18501P-12A



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
12 Gallon	6.0	100 CFM	70"	120V/60Hz/10A	16'

STANDARD ACCESSORIES



- Sturdy handle for easy carrying.
- Swiveling casters provide convenient multi-direction maneuverability.
- On-board accessories storage.
- High performance motor provides maximum power, 2X longer life and quieter operation.
- Convenient, built-in power cord hook.
- Rear blower port.

INCLUDED:

· 2-1/2" x 6' Hose (08-2536) · Crevice nozzle (08-2506) · 2 Extension wands (08-2502) · Utility nozzle (08-2503) · Floor brush (08-2591) · Disposable filter bag (19-3102) · Cartridge filter (08-2566B)



PORTABLE STAINLESS STEEL SERIES



SL18128

INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · 3 Extension wands (25-1205A) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor brush (13-1505A) · Foam filter (25-1202)
- Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1288)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
3 Gallon	4.0	70 CFM	64"	120V/60Hz/7A	10'

SL18129

INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · 3 Extension wands (25-1205) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (25-1202)
- Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1230)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	70 CFM	64"	120V/60Hz/7A	10'

SL18301-4B

INCLUDED:

- 1-1/4" x 4' Hose (13-3304) · 3 Extension wands (25-1205) · Gulper nozzle (13-1588)
- Floor nozzle (13-1570) · Inflation kit (13-4001) · Foam filter (20-1200A)
- Reusable dry filter with clamp ring (20-1100)




Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18130

INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · 3 Extension wands (13-1502) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (25-1202)
- Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1230)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallon	4.0	70 CFM	64"	120V/60Hz/7A	10'

PORTABLE STAINLESS STEEL SERIES



SL18136



INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · 3 Extension wands (25-1205) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (20-1200)
- Reusable dry filter with clamp ring (20-1100) · Disposable filter bag (25-1228)




Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
3 Gallon	4.0	85 CFM	52"	120V/60Hz/7A	10'

SL18137



INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · Crevice nozzle (13-1508) · 3 Extension wands (25-1205)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (20-1200) · Reusable dry filter with clamp ring (20-1100) · Disposable filter bag (25-1230)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	85 CFM	50"	120V/60Hz/7A	10'

SL18138



INCLUDED:

- 1-1/4" x 5' Hose (25-1204) · Crevice nozzle (13-1508) · 2 Extension wands (13-1502)
- Gulper nozzle (13-1588) · Floor brush (13-1505) · Foam filter (20-1200) · Reusable dry filter with clamp ring (20-1100) · Disposable filter bag (25-1230)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallon	4.0	85 CFM	52"	120V/60Hz/7A	10'

SL18143



INCLUDED:

- 1-1/4" x 5' Hose (13-3301) · 3 Extension wands (25-1205) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (19-1600)
- Reusable dry filter with clamp ring (19-1500) · Disposable filter bag (19-3100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallon	4.0	85 CFM	52"	120V/60Hz/8A	10'

PORTABLE STAINLESS STEEL SERIES



SL18115



INCLUDED:

- 1-1/4" x 5' Hose (13-3301) · 3 Extension wands (25-1205) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (19-1600)
- Reusable dry filter with clamp ring (19-1500) · Disposable filter bag (19-3100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18116



INCLUDED:

- 1-1/4" x 5' Hose (13-3300) · 3 Extension wands (25-1205) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor nozzle (13-1570) · Foam filter (19-1600)
- Reusable dry filter with clamp ring (19-1500) · Disposable filter bag (19-3100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
6 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18117



INCLUDED:

- 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300) · Crevice nozzle (19-1400) · Floor nozzle (19-1900) · Cartridge filter (08-2566B) · Disposable filter bag (19-3100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	4.0	85 CFM	48"	120V/60Hz/8A	10'

SL18156-10A



INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300) · Crevice nozzle (19-1400) · Floor brush (19-2300) · Cartridge filter (08-2566B) · Disposable filter bag (19-3101)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
10 Gallon	5.5	100 CFM	70"	120V/60Hz/10A	16'

SL18156



INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300) · Crevice nozzle (19-1400) · Floor brush (19-2300) · Cartridge filter (08-2566B) · Disposable filter bag (19-3101)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
10 Gallon	5.5	100 CFM	70"	120V/60Hz/10A	16'

SL18199-16A



INCLUDED:

· 2-1/2" x 6' Hose (08-2536) · 2 Extension wands (08-2502) · Utility nozzle (08-2503) · Crevice nozzle (08-2506) · Floor brush (08-2591) · Disposable filter bag (19-3102) · Cartridge filter (08-2566B)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
16 Gallon	5.5	100 CFM	70"	120V/60Hz/10A	18'

INDUSTRIAL SERIES

STANLEY

SL18601-16B

Large water-resistant on/off switch

Dust full indicator

2-stage motor provides high perform longer life and quieter operation

On-board accessory storage box

Large rear wheels and swiveling casters for easy movement



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
16 Gallon	6.5	110 CFM	70"	120V/60Hz/12A	20'

STANDARD ACCESSORIES



- Sturdy handle for easy carrying.
- Swiveling casters provide convenient multi-direction maneuverability.
- On-board accessories storage.
- High performance motor provides maximum power, 2X longer life and quieter operation.
- Convenient, built-in power cord hook.
- Rear blower port.

INCLUDED:

· 2-1/2" x 6' Hose (08-2536) · 2 Extension wands (08-2502) · Utility nozzle (08-2503) · Crevice nozzle (08-2506) · Floor brush (08-2591) · Cartridge filter (08-2566B) · Disposable filter bag (19-3102)



PRO STAINLESS STEEL SERIES



SL18401-8A



INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-2300) · Crevice nozzle (19-1400) · Floor brush (19-1300) · Cartridge filter (08-2566B) · Disposable filter bag (19-3101)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	6.0	100 CFM	70"	120V/60Hz/10A	16'

SL18401-8B



INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-2300) · Crevice nozzle (19-1400) · Floor brush (19-1300) · Cartridge filter (08-2566B) · Disposable filter bag (19-3101)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	6.0	100 CFM	70"	120V/60Hz/10A	16'

SL18402-8B



INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-1300) · Crevice nozzle (19-1400) · Floor nozzle (19-1900) · Cartridge filter (08-2566B) · Disposable filter bag (19-3100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
8 Gallon	6.0	100 CFM	70"	120V/60Hz/10A	10'

SL18501-10A



INCLUDED:

· 1-7/8" x 6' Hose (19-1100) · 2 Extension wands (19-1200) · Utility nozzle (19-2300) · Crevice nozzle (19-1400) · Floor brush (19-1300) · Cartridge filter (08-2566B) · Disposable filter bag (19-3101)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
10 Gallon	6.0	100 CFM	70"	120V/60Hz/10A	16'

SL18501-12B



INCLUDED:

· 2-1/2" x 6' Hose (08-2536) · 2 Extension wands (08-2502) · Utility nozzle (08-2503) · Crevice nozzle (08-2506) · Floor brush (08-2591) · Cartridge filter (08-2566B) · Disposable filter bag (19-3102)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
12 Gallon	6.0	110 CFM	70"	120V/60Hz/10A	16'

SL18601-14B



INCLUDED:

· 2-1/2" x 6' Hose (08-2536) · 2 Extension wands (08-2502) · Utility nozzle (08-2503) · Crevice nozzle (08-2506) · Floor brush (08-2591) · Cartridge filter (08-2566B) · Disposable filter bag (19-3102)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
14 Gallon	6.5	110 CFM	70"	120V/60Hz/12A	20'

INDUSTRIAL STAINLESS STEEL SERIES



HANG UP SERIES



SL18132



INCLUDED :

- 1-1/4" x 20' Ultra flexible hose (25-1218) · 2 Extension wands (13-1502) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor brush (13-1505) · Foam filter (25-1202) · Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1228) · Tool holder · Mounting bracket (metal)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
3.5 Gallon	4.0	75 CFM	64"	120V/60Hz/7A	6'

SL18133P



INCLUDED :

- 1-1/4" x 20' Ultra flexible hose (25-1218) · 2 Extension wands (25-1205) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor brush (13-1505A) · Foam filter (25-1202) · Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1228) · Tool holder · Mounting bracket (poly)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4.5 Gallon	4.0	75 CFM	64"	120V/60Hz/7A	6'

SL18133



INCLUDED :

- 1-1/4" x 20' Ultra flexible hose (25-1218) · 2 Extension wands (13-1502) · Crevice nozzle (13-1508)
- Gulper nozzle (13-1588) · Floor brush (13-1505) · Foam filter (25-1202) · Reusable dry filter with clamp ring (25-1201) · Disposable filter bag (25-1228) · Tool holder · Mounting bracket (metal)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4.5 Gallon	4.0	75 CFM	64"	120V/60Hz/7A	6'

SL18139P



INCLUDED :

- 1-1/4" x 20' Ultra flexible hose (25-1218) · 2 Extension wands (13-1502) · Gulper nozzle (13-1588)
- Crevice nozzle (13-1508) · Floor nozzle (13-1570) · Cartridge filter (08-2551) · Tool holder · Mounting bracket (poly)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4.5 Gallon	4.0	80 CFM	52"	120V/60Hz/7A	6'

BUCKET HEAD & ASH TANK & ASH VAC



SL18180



INCLUDED:

- 1-1/4" x 4' Hose (20-1300) · Crevice nozzle (13-1508) · Gulper nozzle (13-1588) · Foam filter (20-1200A)
- Reusable dry filter with damp ring (20-1100)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
5 Gallon	4.0	60 CFM	36"	120V/60Hz/8A	6.5'

SL18184



INCLUDED:

- 1-1/4" x 4' Metal hose (25-1043) · Pre-filter (25-1040) · Cartridge filter (25-1041) · Round brush (13-1580)
- Aluminum extension wand (25-1042)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	4.0	60 CFM	60"	120V/60Hz/4.5A	8'

SL18182



INCLUDED:

- 1-1/4" x 4' Metal hose (25-1043) · Round brush (13-1580) · Aluminum extension wand (25-1042)



Tank Size	Peak HP	Airflow	Sealed Pressure (Inches of water)	Electrical Rating	Power Cord
4 Gallon	N/A	N/A	N/A	N/A	N/A

VACUUM ACCESSORIES



FILTERS

Any job is easier when you have the right tools.

Whether you are vacuuming your garage, workshop or indoor floors, picking up liquids, cleaning your car or cleaning up outdoors.

There's a STANLEY accessory to make cleanup easier quicker and more efficient.

Accessories are interchangeable with other major brand wet/dry vacuum equipment.



20-1200A
Foam filter
Fit for Bucket head and 2.5 - 5gal with blower function(except SL18123P, SL18143,SL18115,SL18115P)



25-1202
Foam filter
Fit for 3gal (SL18123P) and 2.5 - 5gal w/o blower function




19-1600
Foam filter
Fit for 1,2,5 - 18gal (except SL18130,SL18138)



20-1100
Reusable dry filter(with clamp ring)
Fit for Bucket head and 2.5 - 5gal with blower function (except SL18123P,SL18143,SL18115, SL18115P)



25-1201 / 25-1200N
Reusable dry filter(with clamp ring)
Fit for 3gal (SL18123P) and 1 - 5gal w/o blower function



19-1500 / 19-1500N
Reusable dry filter(with clamp ring)
Fit for 5 - 18gal (except SL18130,SL18138)



19-3100 / 19-3100N
Disposable filter bag
Fit for 5 - 8gal w/1-7/8" vacuum port only



19-3101 / 19-3101N
Disposable filter bag
Fit for 9 - 12gal w/1-7/8" vacuum port only



19-3102 / 19-3102N
Disposable filter bag
Fit for 14 - 18gal



25-1230 / 25-1230N
Disposable filter bag
Fit for 4-5gallon (except SL18143,SL18115,SL18115P)



25-1228 / 25-1228N
Disposable filter bag
Fit for 2.5-3.5gallon



25-1040
Pre-filter
Fit for ASH VAC SL18184

* "N" Express "No service info"

Cartridge Filter



25-1041
cartridge filter
Fit for ASH VAC
SL18184




08-2551
Cartridge filter
Fit for 2.5 - 5gal w/blower
function
(except SL18123P,SL18143,
SL18115,SL18115P)




08-2566B
Cartridge filter w/cap
Fit for FATMAX,BOSTITCH




19-1800
cartridge filter




Hold the power head and turn the filter retainer counter-clockwise to loosen and remove



With the power head in an upside down position, slide the cartridge filter up over the lid cage



To clean filter, brush off excess dirt with water



DRY completely (approximately 24 hours) and reinstall

1-1/4" Accessories



25-1205
1-1/4" x 1.15' extension wand



13-1502
1-1/4" x 1.5' extension wand



25-1044
steel retractable
extension wand



25-1042
Aluminum extension wand
Fit for ASH VAC
SL18184



13-1588
1-1/4" gulper nozzle



13-1589
1-1/4" gulper nozzle



13-1505N
1-1/4" floor brush



13-1570
1-1/4" x10" floor nozzle



13-1571
1-1/4" floor nozzle



13-1508
1-1/4" crevice nozzle



13-1505
1-1/4" floor brush



13-1572
1-1/4" floor brush



13-1580
1-1/4" round brush



13-1515
1-1/4" crevice nozzle



13-1513
1-1/4" crevice nozzle



13-4001
1-1/4" inflation kit



13-4002
inflation kit



13-1584
micro cleaning kit

1-1/4" Hose Accessories



25-1203
1-1/4" x4' hose
Fit for 1 - 5gal



25-1204
1-1/4" x5' hose
for 2.5 - 5gal w/o blower
function



20-1300
1-1/4" x4' hose
Fit for 3gal
(SL18123P,SL18910P)



25-1218
1-1/4" x20' flexible hose
Fit for.3 5-5gal wall-mount
vac



13-3301
1-1/4" x5' hose
Fit for 5 - 12gal



13-3300
1-1/4" x6' hose
Fit for 5 - 12gal



13-3304
1-1/4" x4' hose
Fit for
SL18301-4B



13-3306
1-1/4" x4' hose
Fit for
SL18101P-1H



25-1206
1-1/4" x 6' hose
Fit for
SL18957P-5

1-7/8" Hose Accessories



19-1100
Fit for 6-18gal w/1-7/8"x6'
vacuum port only



19-1101
1-7/8"x10' hose
Fit for
SL18501-10A



19-1102
1-7/8" x 7' ultra flexible hose

1-7/8" Accessories



19-1200
1-7/8"x1.6' extension wand



19-1202
1-7/8"x1.5' hose



19-1300
1-7/8" utility nozzle



19-1400
1-7/8" crevice nozzle



13-4333
1-7/8" crevice nozzle



19-2300
1-7/8" floor Brush



19-1900
1-7/8" x 10" floor nozzle



19-2400
1-7/8" round brush



13-4364
1-7/8" claw nozzle

2-1/2" Accessories



08-2502
2-1/2"x1.6' extension wand



08-2503
2-1/2" utility nozzle



08-2506
2-1/2" crevice nozzle



08-4333
2-1/2" car nozzle



08-2591
2-1/2" floor brush



08-2401
2-1/2" round brush

2-1/2" Hose Accessories



08-2526
2-1/2"x7' hose
Fit for 14-18gal w/thread
lock port only



08-2536
2-1/2"x6' hose
Fit for 10-18gal w/quick lock port only

Adaptor



Hose adaptor
25-1213



08-2712
2-1/2" to 1-1/4"



11-2100
1-7/8" to 2-1/2"



11-1100
1-7/8" to 1-1/4"




08-2718
2-1/2" to 1-7/8"




15-1100
universal tool adaptor



Hold the power head and turn the filter retainer counterclockwise to loosen and remove



With the power head in an upside down position, slide the cartridge filter up over the lid cage



To clean filter, brush off excess dirt with water



DRY completely (approximately 24 hours) and reinstall





SL18910P-3

4.0 HP

80 CFM



SL18905P-4

4.0 HP

90 CFM



SL18904P-4

4.0 HP

90 CFM



SL18957P-5

5.0 HP

90 CFM



SL18906P-5H

5.0 HP

90 CFM



SL18125DC

—

—



SL18125P

1.5 HP

60 CFM



SL18101P-1H

1.5 HP

60 CFM



SL18127P

2.0 HP

60 CFM



SL18128P

4.0 HP

70 CFM



SL18134P

3.0 HP

80 CFM



SL18135P

4.0 HP

85 CFM



SL18202P-3B

3.0 HP

85 CFM



SL18301P-4B

4.0 HP

85 CFM



SL18130P

4.0 HP

70 CFM



SL18138P

4.0 HP

85 CFM



SL18116P

4.0 HP

85 CFM



SL18115P

4.0 HP

85 CFM



SL18117P

5.0 HP

75 CFM



SL18407P

5.0 HP

100 CFM



SL18191P

4.0 HP

85 CFM



SL18701P-10A

4.0 HP

100 CFM



SL18199P

5.5 HP

100 CFM



SL18401P-8A

6.0 HP

100 CFM



SL18501P-12A

6.0 HP

100 CFM



SL18128

4.0 HP

64 CFM



SL18129

4.0 HP

70 CFM



SL18301-4B

4.0 HP

85 CFM



SL18130

4.0 HP

70 CFM



SL18136

4.0 HP

85 CFM



SL18137

4.0 HP

85 CFM



SL18138

4.0 HP

85 CFM



SL18143

4.0 HP

85 CFM



SL18115

4.0 HP

85 CFM



SL18116

4.0 HP

48 CFM



SL18117

4.0 HP

85 CFM



SL18402-8B

6.0 HP

100 CFM



SL18156-10A

5.5 HP

100 CFM



SL18156

5.5 HP

100 CFM



SL18199-16A

5.5 HP

100 CFM



SL18401-8A

6.0 HP

100 CFM



SL18501-10A

6.0 HP

100 CFM



SL18501-12B

6.0 HP

110 CFM



SL18601-14B

6.5 HP

110 CFM



SL18601-16B

6.5 HP

110 CFM



SL18132

4.0 HP

85 CFM



SL18133P

4.0 HP

75 CFM



SL18133

4.0 HP

75 CFM



SL18139P

4.0 HP

80 CFM



SL18180

4.0 HP

60 CFM



SL18184

4.0 HP

60 CFM



SL18182

—